



Ready for snow since 1929

NOTHING IS MORE  
ROBUST  
THAN CÔTÉ PRODUCTS



MANUFACTURER  
OF SNOWPLOW AND ICE REMOVAL EQUIPMENT

[www.w-cote.com](http://www.w-cote.com)



## **THE STORY** BEHIND OUR PRODUCTS

Côté was founded in 1964, but the company's origins date back to 1929, when Eugène Côté, a blacksmith by trade, designed his very first snow plow.

Côté offers a full range of snow plows, conventional and quick-coupling attachments for trucks, graders, wheel loaders and tractors. We also manufacture abrasive spreaders, heated dump bodies for transporting asphalt and several related products.

We have an impressive inventory of equipment and parts, we can deliver most products on the same day or the day after an order is placed. Our specialists are always working on new designs, to keep our equipment cutting-edge.

Driven by the trust of a vast clientele (thank you for your loyalty!), we have not stopped evolving in our more than 90 years in this industry we're so passionate about: SNOW CLEARING.

## **AND THE STORY** continues!



Ready for snow since 1929



# INDEX



---

## QUICK COUPLER

HH7500	p. 5 - 6
AR9000	p. 7
AR9500	p. 8



---

## SNOW PLOW

OH4000	p. 9
OH4500HD	p. 10
LC4000	p. 11
OH4400PH	p. 12
4300PN	p. 13 - 14
KL6500HD	p. 15
JC5000	p. 16
SU8000	p. 17
SU8500	p. 18



---

## DUMP BODY

EV900	p. 19 - 20
BES900	p. 21
BEU900	p. 22
BA100	p. 23
ARB200	p. 24







# HH7500 QUICK COUPLER

FULLY HYBRID DESIGN



Its tilt-coupling mechanism for trucks, the front quick coupler can be attached without needing to be perfectly aligned. In addition, its fully hybrid design offers 8 different configurations.

Once the HH7500 is uncoupled, most of its structure remains on the ground, which considerably reduces the weight.



## OPTIONS FOR THE HH7500 QUICK COUPLER HR300 ADAPTER



The HR300's easy coupling, you can quickly hook up the snow plow from inside the cab, letting you get to work right away (certain configurations require exiting the cab). With its manual quick-coupling feature, the rear column can be removed in minutes. Simply take out the two pins holding it in place and uncouple the push arms (this may require a hoist or similar handling tool).

### Several options are available:


- Valves with pneumatic, cable-actuated or electrohydraulic controls
- External valve housing, side wing lighting
- Pump operated by crankshaft, power take-off (PTO), power steering or belt
- Oversized hydraulic reservoir
- Ultra-smooth travel due to nitrogen-charged accumulators
- Rear column edger



# AR9000 QUICK COUPLER

## THE ONLY MANUFACTURER TO DESIGN A QUICK-COUPLING MECHANISM

Côté is the only manufacturer to have designed a quick-coupling mechanism and one that lets you quickly and easily restore your truck to its original appearance. Once uncoupled, the AR9000 is the only quick coupler that does not require the quick-coupling plate to be tilted when you want to open the truck's hood. This lets you lift your hood and quickly and easily access your engine without any extra steps. The AR9000 is a quick coupler for front snow plows and side wings, both of which can be mounted on a truck.



A vehicle fitted with this quick coupler can quickly and easily switch between snow clearing and its original use. Coupling and uncoupling the front quick coupler and the push arms takes only a few minutes and can be done safely and easily.

As the designer of the quick-coupling mechanism, Côté Ltée is the only manufacturer that has thought to develop a column edger with quick hydraulic coupling. Available as an option, this edger will make your vehicle even more versatile, even when comes time to lower your blade.



# AR9500 QUICK COUPLER

**EASY TO USE, VERSATILE AND DURABLE.**

After the AR9000's great success on trucks and the growing use of wheel loaders for snow clearing, Côté adapted its famous quick coupler to most loader models, making your equipment more profitable.

With the increasing variety of snow clearing contracts and the rising popularity of equipment rentals, the easy-to-use and highly versatile AR9500 is a great choice.



# OH4000 SNOW PLOW

## ITS UNIQUE CURVE MAKES THIS PLOW INCREDIBLY TOUGH

When winter comes, trust the popular OH4000 snow plow, ideal for clearing snow in both urban and rural areas. The unique curve of its facet-folded moldboard makes this snow plow incredibly tough. Its legendary design rolls snow like only a Côté plow can.



## TECHNICAL SPECIFICATIONS

The OH4000 is equipped with the famous blade tilting system unique to Côté. It can clear obstacles more than 7" (18 cm) in height, allowing the operator to work safely.



## MODELS, DIMENSIONS AND WEIGHTS

WIDTH	HEIGHT	APPROX. WIEGHT
10 ft	36"	2 250 lbs
11 ft.	36"	2 370 lbs
11 ft.	44"	2 450 lbs.
12 ft.	36"	2 680 lbs
12 ft	44"	2 773 lbs
12 ft	54"	2 810 lbs


## OPTIONS

Several options are available: tungsten carbide blades, carbide shoes and side protectors, rubber snow deflector and fixed, removable or foldable snow guard.

# OH4500HD SNOW PLOW

## PLOW IDEAL FOR MANY TYPES OF SNOW CLEARING

The rugged design of its facet-folded moldboard makes the OH4500HD the perfect plow for many types of snow clearing work. Its pressure arm/self-floating system, you can do conventional snow clearing as well as heavy-duty ice removal, which requires applying considerable pressure.



## TECHNICAL SPECIFICATIONS

The OH4500HD is equipped with a unique blade tilting system, with compression coil springs and double-acting cylinders offering a more efficient angle of attack.

## MODELS, DIMENSIONS AND WEIGHTS

SÉRIE	WIDTH	HEIGHT
4504	12 ft	44"
4505	12 ft	54"
4507	14 ft	44"
4508	14 ft	54"
4511	16 ft	54"
4516	20 ft	44"
4517	20 ft	54"

## OPTIONS

Several options are available: tungsten carbide blades, carbide shoes and side protectors, rubber snow deflector and fixed, removable or foldable snow guard.




# LC4000 SNOW PLOW

## IDEAL SNOWPLOW FOR SEVERAL TYPES OF SNOW REMOVAL

If you're planning to regularly do ice removal work, or spread abrasives, the LC4000 is the tool of choice. Its extra-tough build makes it an exceptional plow. Several municipalities and many contractors rely on the LC4000's unique design to provide outstanding service.


The LC4000 is manufactured in limited quantities, available by special order only, for a discerning clientele looking to stand out from the competition.

Included as standard: Carbide blades and side protectors. Option: Folding snow guard.



## TECHNICAL SPECIFICATIONS

Facet-folded moldboard for greater rigidity while keeping the snow from sticking to the surface, angle of attack, plow orientation via two double-acting cylinders connected to a pressure-adjustable unloader valve.



## MODELS, DIMENSIONS AND WEIGHTS

Available lengths: 12', 14', 16', 18', 20', 22'  
Available heights: 44», 54», 64».

## OPTIONS

Several options are available: tungsten carbide blades, shoes and side protectors and fixed, removable or foldable snow guard.

# OH4400PH SNOW PLOW

## DISCOVER THE UNIQUE OH4400PH SNOW PLOW IDEAL FOR CLEARING COMMERCIAL PARKING LOTS

The most versatile snow plow in the Côté product line, the OH4400PH puts the snow clearing configuration you need right at your fingertips, without having to get out of your vehicle. The hydraulic panels can be positioned in a number of ways with the flick of a multifunction lever installed inside the cab.



Designed differently, but just as tough, the facet-folded moldboard is flattened to let you get as close to obstacles as possible for a flawless result.

## TECHNICAL SPECIFICATIONS

- One-piece structural facet-folded moldboard
- Horizontal self-levelling system that adjusts to road imperfections
- Multi-section blade tilting system unique to Côté
- 3/4" X 8" non-reversible tempered steel wear blade
- 32° left and right snow removal angle
- Dual cross-over release valve to protect the orienting cylinders in the event of an impact
- Three-way electric diverter valve
- 12 V or 24 V multifunction lever (includes quick coupler and electrical connectors)
- Panels with ultra-strong 180° hinge system, activated by cylinders protected by a dual cross-over release valve
- Panels with a spring-loaded self-floating system that adjusts to road imperfections
- Independent adjustable-flow control valve to control the panels' speed
- Steel side protectors for clearing along a sidewalk

## OPTIONS

- Tungsten carbide blade
- Tungsten carbide side protectors installed at the end of the panel for clearing along sidewalks
- 12 V or 24 V multifunction lever (includes quick coupler and electrical connectors)
- Three-way electric diverter valve to simultaneously activate both panels for greater productivity

## MODELS, DIMENSIONS AND WEIGHTS

MODEL	CLOSED PANELS*	OPEN PANELS	HEIGHT AND WIDTH OF THE MOLDBOARD	HEIGHT AND WIDTH OF THE PANELS	APPROX. WEIGHTS
4401	140"	220"	44" x 120"	44" x 50"	5033 lbs.
4402	140"	220"	44" x 120"	44" x 60"	5200 lbs.
4403	140"	264"	44" x 120"	44" x 72"	5400 lbs.

# 4300PN SNOW PLOW

## SNOW PUSHER FOR LOADERS AND GRADERS



In the harshest winter conditions, nothing is more effective than our 4300PN snow plow. Its rugged design makes it possible to quickly and efficiently push and pull a large volume of snow at a time while its quick-coupling mechanism follows the grade of the surface to be cleared.



WIDTH AND HEIGHT	8 pi.	10 pi.	12 pi.	14 pi.
36"	4301	4302	4304	
48" - 48" width		4305	4307	4308
54" - 60" width		4318	4319	4320
54" - 72" width		4321	4322	4323
54" - 84" width		4324	4325	4326





## TECHNICAL SPECIFICATIONS

The 4300PN is equipped with a bolted reverse blade, two supports for when the plow is parked, two jacking points on the upper part and a system for activating the wear blades in the event of an impact.

## OPTIONS

Several options are available for the 4300PN.

# KL6500HD SNOW PLOW

## DISCOVER THE UNIQUE KL6500HD SNOW PLOW IDEAL FOR CLEARING SIDEWALKS

The new KL6500HD, with its one-piece structural moldboard, is much more than a next-generation plow. Thanks to its new self-levelling system, it is sturdier, more versatile and best of all, easier to maintain.



The horizontal self-levelling system with cushioned shock absorption allows for a more than 25° to 30° difference in grade. The optional horizontal hydraulic pivot can be installed in minutes, without requiring any modifications to the original snow plow.

## TECHNICAL SPECIFICATIONS

- One-piece structural moldboard with a facet-folded curve
- Revolutionary patent-pending horizontal self-levelling system
- Unique SIDE tilting blade system
- Adjustable 30-degree left/right blade angle
- Double-acting anti-shock relief valves to protect the slewing cylinders in the event of an impact
- 3/4" x 6" non-reversible steel blade for extended wear
- Steel side protectors

## OPTIONS

- Tungsten carbide blades
- Tungsten carbide side protectors
- Hydraulic horizontal pivot
- Removable snow guards for all models
- 84» and 96» manual-folding snow guards

## MODELS, DIMENSIONS AND WEIGHTS

WIDTH	HEIGHT	WEIGHT
53"	26"	734 lbs.
56"	26"	760 lbs.
60"	26"	775 lbs.
72"	26"	810 lbs.
84"	26"	845 lbs.
96"	26"	880 lbs.

# JC5000 SIDE WING

CLEARs WIDER AND THROWS SNOW FURTHER



The side wing can easily be added to your existing equipment. The JC5000 side wing's very sturdy structure and total tilt facet-folded moldboard eliminate any twisting thanks to Côté Ltée's unique tilting system. It can be tilted up to 56°, to clear obstacles more than 7" (18 cm) in height.

## TECHNICAL SPECIFICATIONS

Côté is the only manufacturer to offer a side wing that can be raised quickly and safely. The JC5000 can come up snug against your cab due to a smooth end of travel thanks to its «internal actuator» braking system unique to Côté. This system slows the raising motion near the end, preventing damage to your cab and reducing operator stress.

## OPTIONS

Several options are available: one-piece tungsten carbide wear blade, carbide shoes and side protectors, vision column that auto-locks when the side wing is being raised. Available as an option, the vision column can be equipped with a pneumatic cylinder for locking and unlocking.

## MODELS, DIMENSIONS AND WEIGHTS

Size: 10' - 12' - 13' - 14' - 16' - 17' - 18'


- 28" at entry and 38" at exit
- Weight ranging from 1,255 to 1,700 lb



# SU8000 SNOW PLOW

## IDEAL ONE-WAY SNOW PLOW FOR RURAL SNOW REMOVAL

The unidirectional SU8000 snow plow is the ideal choice for snow clearing in rural areas. Its facet-folded moldboard is the secret behind its outstanding snow-throwing distance at any speed, high or low.



## TECHNICAL SPECIFICATIONS

The SU8000 is equipped with a blade tilting system unique to Côté, which makes it possible to clear obstacles over 7" (18 cm) in height. It also features a facet-folded moldboard and adjustable angle of attack.



## OPTIONS

Several options are available: blade, side protector, adjustable tungsten carbide high-speed ski and rubber snow deflector.

## MODELS, DIMENSIONS AND WEIGHTS


ONE-WAY, 12', RURAL USE

- 28» at entry X 68» at exit
- Weight: 3,175 lb




# SU8500 SNOW PLOW

**BEST CHOICE FOR RURAL AND  
HIGHWAY SNOW CLEARING**



Due to its very pronounced shape, the SU8500's facet-folded moldboard throws snow further while considerably reducing blowback on the windshield. It is the best choice for rural or highway snow clearing, with great results at high or low speed.

The best plow in its class, the SU8500, with its moldboard rearward tilting system, was designed for rural and highway work.



## **TECHNICAL SPECIFICATIONS**

The SU8500 is equipped with a moldboard rearward tilting system, a very strong push frame and an adjustable angle of attack.

## **MODELS, DIMENSIONS AND WEIGHTS**

ONE-WAY, 12', RURALE USE

- 32» at entry X 63» at exit
- Weight: 3 030 lbs

## **LES OPTIONS**

Several options are available: blade, side protector, adjustable tungsten carbide high-speed ski and rubber snow deflector.

# EV900 SPREADER

THE MOST VERSATILE  
SPREADER ON THE  
MARKET



When comes time to spread abrasives, trust Côté's EV900. It's the most versatile V-shaped spreader on the market. And because the hopper is fully removable, several configurations are possible.

What is more, our transverse conveyor is designed to hold a second spinner, letting you spread on the left, right or even both sides at the same time, without requiring any modification. Finally, a versatile, smartly-designed spreader!





## TECHNICAL SPECIFICATIONS

The EV900 is equipped with a rounded hopper that offers superior rigidity. It also has a built-in access door that is easy to open, lightweight and very safe.

## MODELS, DIMENSIONS AND WEIGHTS OPTIONS

- For a 6-wheel truck: EV903, 3 yd<sup>3</sup> capacity
- For a 6-wheel truck: EV906, 6 yd<sup>3</sup> capacity
- For a 6-wheel truck: EV909, 9 yd<sup>3</sup> capacity
- For a 10-wheel truck: EV912, 12 yd<sup>3</sup> capacity
- For 12-wheel truck: EV914, 14 yd<sup>3</sup> capacity

Can be slipped directly into your truck's existing dump body, installed on a chassis with fenders or attached with our quick-coupling system unique to Côté, which adapts to your tractor trailer's fifth wheel.





# BES900 4-SEASON DUMP BODY


**NO OTHER DUMP BODY  
OF THIS TYPE OFFERS  
THESE ADVANTAGES**



Looking for complete versatility? The BES900 is the dump body for you! Boasting an exceptional, cutting-edge design, Côté has once again raised the bar in a new field.

No other dump body of this type offers these advantages. With its monocoque construction, ultra-strong continuous weld reinforcements (which keep corrosion from spreading) and its gear oil separator, the BES900 sets a new quality standard.

The floor and sides made of HARDOX 450, the aerodynamic cab guard with built-in grab handle, the revolving light mount, the wide-dispersal spinner with urethane disk, the LED light system and the chain adjustment via grease cylinders all come standard.



## **MODELS, DIMENSIONS AND WEIGHTS**

- For a 6-wheel truck: BES911, 11 ft. x 36" X 48", 10 1/2 yd<sup>3</sup> capacity
- For a 10-wheel truck: BES914, 14 ft. x 42" x 60", 15 1/4 yd<sup>3</sup> capacity

## **OPTIONS**

Options also include: an aluminum tarp holder, removable ladder, side-opening door, electronic spreader control, central lubrication system, trailer attachment and rounded hopper that offers superior rigidity and a built-in access door that is easy to open, lightweight and very safe. And much more!

# BEU900 SPREADER

**THE PERFECT  
COMBINATION OF  
A SPREADER AND  
A FOUR-SEASON  
DUMP BODY**



Combining the best features of a traditional spreader and a four-season dump body, the BEU900 offers a cutting-edge design with its monocoque structure and moulded fenders. The floor and sides made of HARDOX 450, the aerodynamic cab guard with built-in grab handle, the revolving light mount, the wide-dispersal spinner with urethane disk, the LED light system and the chain adjustment via grease cylinders all come standard.



## **TECHNICAL SPECIFICATIONS**

Like all our other spreading systems, the BEU900 is equipped with a bolted transverse conveyor for easy maintenance. Options include a rounded hopper that offers superior rigidity and a built-in access door that is easy to open, lightweight and very safe.

## **MODELS, DIMENSIONS AND WEIGHTS**

- For a 6-wheel truck: BEU911, 11 ft. x 42»X 60», 10 1/2 yd<sup>3</sup> capacity
- For a 10-wheel truck: BEU914, 14 ft. x 42» x 60», 13 5/8 yd<sup>3</sup> capacity

## **OPTIONS**

Options also include: an aluminum tarp holder, removable ladder, side-opening door, electronic spreader control, central lubrication system, trailer attachment and much more.

# BA100 HEATED DUMP BODY

THE MOST IN-DEMAND  
INSULATED DUMP  
BODY



For asphalt repair work, trust Côté's BA100, the most requested insulated dump body on the market. Offering high flammability resistance, all our BA100s can be hooked up to the carrier vehicle's exhaust system (optional). They all contain a network of internal passageways that evenly distribute heat, increasing the dump body's heat-retention capabilities.

We put a great deal of thought into the BA100's design, to give our customers the utmost flexibility. Designed to be fully removable, you can simply slide the BA100 into a vehicle's existing dump body, or attach it to any other type of chassis. No major modifications required. This will save you a considerable amount of money when you need to switch vehicles.



## MODELS, DIMENSIONS AND WEIGHTS


- For a 6-wheel truck: BA111, 11.5 ft., 7.6 yd<sup>3</sup> capacity
- For a 10-wheel truck: BA113, 13.5 ft., 8.9 yd<sup>3</sup> capacity
- For a 12-wheel truck: BA118, 18.5 ft., 13.5 yd<sup>3</sup> capacity

## OPTIONS


Several options are available: signal arrow, connection to the carrier vehicle's exhaust system, electric valves

# ARB200 DUMP BODY SUPPORT

GET THE MOST  
OUT OF YOUR  
VEHICLE



Buying a straight-body truck is a relatively big investment, which is why Côté Ltd proposes the ARB200. It will help you get the best use out of your vehicle, by making it as versatile as possible. You'll be able to safely switch vehicles in only a few minutes.



## OPTIONS

The Côté dump body/spreader support can be added as an option on all types of dump bodies, V-shaped spreaders, U-shaped spreaders and 4-season dump bodies for maximum profitability.



# 2021 CORPORATE VIDEO

**90 YEARS OF EXPERIENCE BUILDING QUALITY PRODUCTS HERE TO KEEP OUR ROADS SAFE.**

In June 2021 our team was filming to mark our 90th birthday. We invite you to view the result of our shoot by scanning the QR code below or follow the link to our You Tube channel. Good screwing!



[HTTPS://YOUTU.BE/Y3BIX-OCZX4](https://youtu.be/y3bix-oczx4)







# NO SPACE IS TOO BIG

19 Côté Street. Mercier (Quebec) Canada, J6R 2B9



M A N U F A C T U R E R  
OF SNOWPLOW AND ICE REMOVAL EQUIPMENT

450-691-2967  
[www.w-cote.com](http://www.w-cote.com)

